



WORMINEX 10% LIQUID

COMPOSITION:

Contains per ml:

Albendazole 100 mg

DESCRIPTION:

Albendazole is a broad-spectrum dewormer which belongs to the group of benzimidazole-derivatives. It is active against gastrointestinal roundworms, lungworms and tapeworms in cattle, sheep and goats. Albendazole is also active against mature liver flukes in cattle, sheep and goats.

INDICATIONS:

Worminex 10% Liquid is indicated for prophylaxis and treatment of worm infections in cattle, sheep and goats such as:

Gastrointestinal worms : Bunostomum, Chabertia, Cooperia, Haemonchus, Nematodirus, Oesophagostomum, Ostertagia, Strongyloides and Trichostrongylus spp.
Lungworms : D. viviparus and D. filaria.
Tapeworms : Moniezia spp.
Liver fluke infestations : Mature Fasciola hepatica.

CONTRA-INDICATIONS:

Do not administer in the first 3 months of pregnancy.

SIDE EFFECTS:

Hypersensitivity reactions may be observed.

PRECAUTIONS:

Wash hands carefully after direct contact with medicine. Direct contact with the medicine should be avoided by pregnant women.

DOSAGE AND ADMINISTRATION:

For oral administration. Use of a drenching gun is recommended.

Cattle : 1 ml per 12 kg bodyweight (equivalent to 8.3 mg of albendazole per kg bodyweight).
Sheep : 1 ml per 20 kg bodyweight (equivalent to 5 mg of albendazole per kg bodyweight).
Goats : 1 ml per 10 kg of bodyweight (equivalent to 10 mg of albendazole per kg bodyweight).

In case of liver fluke infestations.

Cattle, : 1 ml per 10 kg bodyweight (equivalent to 10 mg of albendazole per kg bodyweight).
Sheep : 1 ml per 12 kg bodyweight (equivalent to 8.3 mg of albendazole per kg bodyweight).

Repeat treatment only on advice of your veterinarian.

WITHDRAWAL PERIOD:

Meat: Cattle : 27 days
Sheep, goats : 7 days
Milk : 4 days

STORAGE:

Store in a dry, dark place between 2 °C and 25 °C.

Store in closed packing.

Keep medicine away from children.

PACKING:

1 litre PE-Pharma can (12 cans per box).